



CERTIFICATE OF ANALYSIS

STATUS: **RELEASED** REVISION: 00

DATE: 10/24/2022

Analysis ID No. 224767
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20221305
Page No. Page 1 of 2

CUSTOMER INFORMATION	SAMPLE INFORMATION
Company Name:	Submitted Sample Name:
Ice Suppz LLC	3200glyc
Address:	Submitted Sample Lot:
20190 Avery Ct Tualatin, OR 97062	N/A
Phone Number:	Submitted Sample Description:
815-919-5410	Amber Liquid in Black Bottle; Stored at Rm Temp
Contact Name / Email:	Submitted Sample Product Type / Matrix:
Jason / jracz87@gmail.com	Kratom Extract / Beverage

ALKALOIDS ASSAY					
Analysis	Test Method	LOQ	Specifications	Test Results	Pass / Fail
Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.882 w/w% 8.824 mg/g 10.774 mg/mL	Results Reported
Paynantheine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.205 w/w% 2.048 mg/g 2.500 mg/mL	Results Reported
Speciogynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.146 w/w% 1.463 mg/g 1.787 mg/mL	Results Reported
Speciociliatine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	0.146 w/w% 1.463 mg/g 2.863 mg/mL	Results Reported
7-OH-Mitragynine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only* % Total Alkaloids: NMT 2%	< 0.010 w/w%	PASS
Mitraphylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	< 0.010 w/w%	Results Reported
Isorhynchophylline	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	< 0.010 w/w%	Results Reported
Corynoxine	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	< 0.010 w/w%	Results Reported
Total Alkaloids	UHPLC-DAD	0.01 w/w%	w/w%: Report Only mg/g: Report Only mg/mL: Report Only*	1.468 w/w% 14.680 mg/g 17.924 mg/mL	Results Reported

TESTING FACILITY INFORMATION	SAMPLE INFORMATION
Santé Laboratories 8201 East Riverside Drive, STE 650 Austin, Texas 78744 USA	Santé Sample ID: 224767 Receipt Date: 10/19/2022 / 10:22 AM CST / J. Leiva Receipt Condition: Good Analysis Start Date: 10/20/2022

ADDITIONAL REPORT NOTES
The reported results presented in this document is only applicable to samples submitted to Santé Laboratories for testing and may not represent the entire lot and/or batch produced by the manufacturer. *Density = 1.221 g/mL. ©2020 Santé Laboratories, LLC – All Rights Reserved


**CERTIFICATE OF ANALYSIS**STATUS: **RELEASED** REVISION: 00

DATE: 10/24/2022

Analysis ID No. 224767
TDA License No. 2020002
ISO/IEC No. 1055838
Purchase Order: 20221305
Page No. Page 2 of 2

VERSION HISTORY		
Version	Effective Date	Summary of Changes
00	10/24/2022	Initial Release



REVIEWED AND APPROVED BY	
<div>DocuSigned by:  1DA7685D65C740B...</div> <div>Brian Sloat, Ph.D. Chief Scientific Officer / Quality Manager Santé Laboratories</div>	<div>24 October 2022 4:26:59 PM PDT Date</div> <div>DD-MM-YY</div>